

AT-K-M 10 mm
AT-K-M 10 mm 4-12 mm



AT-K-M 10 mm connector is made of stainless steel and is suitable for use in food processing.


	AT-K-M 10 mm
	UL94-V0, stainless steel
	-40 C° to 100 C°
	AT-K-M 10 mm, stainless steel
AT-K-M 10 mm	AT-K-M 10 mm

AT-K-M 10 mm

- AT-K-M 10 mm connector is made of stainless steel and is suitable for use in food processing.
- AT-K-M 10 mm connector is made of stainless steel and is suitable for use in food processing.
- AT-K-M 10 mm connector is made of stainless steel and is suitable for use in food processing.


AT-K-M 10 mm

AT-K-M 10 mm D4




EAN 99210
4251269325
601
10
M12 × 1,0
30,8 mm
AT-K-M 10 mm 4 mm

0000 000 D6




EAN 99211
4251269325
618
10
M14 × 1,0
32,3 mm
00 7400 0000 6 mm

0000 000 D8




EAN 99227
4251269332
012
10
1/4"
23 mm
00 7400 0000 8 mm

0000 000 D10



EAN 99228
4251269332
029
10
1/4"
29,5 mm
00 7400 0000 10 mm

0000 000 D12



EAN

99229

4251269332

036

10

1/4"

31,5 mm

00 7400 0000

12 mm

icotek[®]
smart cable management